



**Male Patient Questionnaire & History**

Name: \_\_\_\_\_ Today's Date: \_\_\_\_\_  
(Last) (First) (Middle)

Date of Birth: \_\_\_\_\_ Age: \_\_\_\_\_ Ht: \_\_\_\_\_ ' \_\_\_\_\_ " Wt: \_\_\_\_\_ Occupation: \_\_\_\_\_

Home Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Social Security #: \_\_\_\_\_

Home Phone: \_\_\_\_\_ Cell Phone: \_\_\_\_\_ Work: \_\_\_\_\_

E-Mail Address: \_\_\_\_\_ May we contact you via E-Mail? ( ) YES ( ) NO

In Case of Emergency Contact: \_\_\_\_\_ Relationship: \_\_\_\_\_

Home Phone: \_\_\_\_\_ Cell Phone: \_\_\_\_\_ Work: \_\_\_\_\_

Primary Care Physician's Name: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_  
Address City State Zip

Marital Status (check one): ( ) Married ( ) Divorced ( ) Widow ( ) Living with Partner ( ) Single

**( ) I give OHHW permission to contact the following individuals to discuss any portion of my treatment plan (please include spouse or significant other)**

Name: \_\_\_\_\_ Relationship: \_\_\_\_\_ Phone (home): \_\_\_\_\_  
Phone (cell): \_\_\_\_\_

Name: \_\_\_\_\_ Relationship: \_\_\_\_\_ Phone (home): \_\_\_\_\_  
Phone (cell): \_\_\_\_\_

**Social:**

- ( ) I am sexually active.
- ( ) I want to be sexually active.
- ( ) I have completed my family.
- ( ) I have used steroids in the past for athletics.

**Habits:**

- ( ) I smoke cigarettes or cigars \_\_\_\_\_ a day.
- ( ) I drink alcoholic beverages \_\_\_\_\_ per week.
- ( ) I drink more than 10 alcoholic beverages a week.
- ( ) I use caffeine \_\_\_\_\_ a day.

How did you hear about us? \_\_\_\_\_



**Medical History**

Any known drug allergies: \_\_\_\_\_

Medications Currently Taking (including vitamins and nutritional supplements):

Name of Medication/Supp.	Dose	Frequency	Reason taking
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Current Hormone Replacement Therapy: \_\_\_\_\_

Past Hormone Replacement Therapy: \_\_\_\_\_

Nutritional/Vitamin Supplements: \_\_\_\_\_

Surgeries, list all and dates: \_\_\_\_\_

Have you ever had any issues with anesthesia? ( )Yes ( )No If yes, please explain: \_\_\_\_\_

Other Pertinent Information: \_\_\_\_\_

**Preventative Medical Care:**

- ( ) Annual Physical Date: \_\_\_\_\_
- ( ) Prostate Check Date: \_\_\_\_\_
- ( ) Cardiac Physical Date: \_\_\_\_\_
- ( ) Colonoscopy Date: \_\_\_\_\_

- ( ) Any Form of Hepatitis or HIV
- ( ) Depression/Anxiety
- ( ) Psychiatric Disorder
- ( ) Cancer (type): \_\_\_\_\_ Year \_\_\_\_\_
- ( ) Testicular or Prostate Cancer

**Medical Illnesses:**

- ( ) High Blood Pressure
- ( ) High Cholesterol
- ( ) Heart Disease
- ( ) Stroke and/or Heart Attack.
- ( ) Blood Clot and/or a Pulmonary Emboli
- ( ) Hemochromatosis

- ( ) Elevated PSA
- ( ) Prostate Enlargement
- ( ) Trouble Passing Urine or Take Flomax or Avodart
- ( ) Chronic Liver Disease (hepatitis, fatty liver, cirrhosis)
- ( ) Diabetes
- ( ) Thyroid disease
- ( ) Arthritis

I understand that if I begin testosterone replacement with any testosterone treatment, including testosterone pellets, that I will produce less testosterone from my testicles and if I stop replacement, I may experience a temporary decrease in my testosterone production. Testosterone Pellets should be completely out of your system in 12 months.

By beginning treatment, I accept all the risks of therapy stated herein and future risks that might be reported. I understand that higher than normal physiologic levels may be reached to create the necessary hormonal balance.

Print Name \_\_\_\_\_ Signature \_\_\_\_\_ Today's Date \_\_\_\_\_



**BHRT CHECKLIST FOR MEN**

Name: \_\_\_\_\_

Date: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Symptom (please check mark)

Never Mild Moderate Severe

Symptom (please check mark)	Never	Mild	Moderate	Severe
Decline in general well being				
Joint pain/muscle ache				
Excessive sweating				
Sleep problems				
Increased need for sleep				
Fatigue				
Irritability				
Nervousness				
Anxiety				
Depressed mood				
Exhaustion/lacking vitality				
Declining Mental Ability/Focus/Concentration				
Feeling you have passed your peak				
Feeling burned out/hit rock bottom				
Decreased muscle strength				
Weight Gain/Belly Fat/Inability to Lose Weight				
Breast Development				
Shrinking Testicles				
Rapid Hair Loss				
Decrease in beard growth				
New Migraine Headaches				
Decreased desire/libido				
Decreased morning erections				
Decreased ability to perform sexually				
Infrequent or Absent Ejaculations				
No Results from E.D. Medications				

Other symptoms that concern you:




## Office Policies and Procedures for Patients

*(Please initial in the spaces provided and sign the bottom)*

### Office Hours:

\_\_\_\_\_ Office hours for Optimal Hormone Health & Wellness (OHHW) are as follows: Monday – Thursday: 9:00 a.m. – 5:00 p.m. (closed noon - 1:30) and Friday: 9:00 a.m. – 1:00 p.m. If you need an appointment or prescription refill, please call during regular business hours.

### Appointments:

\_\_\_\_\_ To ensure timely service and medical care, we encourage you to schedule your appointment in advance. If you must cancel your appointment, please give our office 24-hour advanced notice. This gives us an opportunity to reallocate time for another patient. If you are unable to provide a 24-hour notice of cancellation, **you will be charged \$50**, to be paid at your next appointment.

### Late Arrivals:

\_\_\_\_\_ It is our goal to provide quality time and care to each patient. While we understand there may be some things out of your control, we encourage you to be **ON TIME** for appointments. Late arrivals may interfere with another patient's care. We will do our best to accommodate you if you are running late but depending on scheduling, it may be necessary to reschedule.

### No Show:

\_\_\_\_\_ A "no show" is someone who misses an appointment without calling or fails to give 24-hours notice. Three (3) "no shows" within one calendar year may result in loss of service. You will also be billed a **"no show" fee in the amount of \$50**, to be paid at the time of your next visit.

### Prescription Refills and Pharmacy Information:

\_\_\_\_\_ Please do not wait until the last minute for refill requests. Please plan ahead and allow 2 full business days to complete refill requests. Refill requests must be done during normal business hours. We do not have access to your patient record after hours, therefore, no medications will be refilled after hours or on weekends. If your prescription is lost, expired, or must be replaced, a replacement must be picked up at the office. There will be a **\$25 fee for replaced prescriptions**. Please review your medications prior to appointments and request refills at the time of visit, if needed. Every patient will be given enough medication to last until the next recommended office visit and/or lab draw.

### Insurance Disclaimer:

\_\_\_\_\_ OHHW is not associated with any insurance companies, which means they are not obligated to pay for our services (blood work, consultations, office visits, or pellets). We will provide a form to send to your insurance company and a receipt showing that you paid out of pocket. The form and the receipt are your responsibility. WE WILL NOT, communicate in any way with insurance companies regarding your benefits.

### HIPAA Information and Consent Form:

\_\_\_\_\_ I hereby consent and acknowledge my agreement to the terms set forth in the HIPAA INFORMATION FORM, a copy of which has been provided to me by OHHW, and any subsequent changes in office policy. I understand that this consent shall remain in force from this date forward.

### Medical Records:

\_\_\_\_\_ To ensure your privacy, copies of medical records must be requested in writing per HIPPA guidelines and a medical release form must be completed in advance. Medical records can be faxed or mailed to other clinicians but cannot be emailed due to confidentiality concerns. The law allows medical offices 30 days to complete requests for records. It is our goal to respond to your request in a timely manner. **There is a \$25 fee to copy medical records for patients. The request for records to be sent to another clinician is free.**

### Forms and Letters:

\_\_\_\_\_ OHHW will assist in the completion of certain forms and letters as follows: 1) Letters of Necessity, 2) Prior Authorizations for prescriptions only, and 3) Employment Physical forms. Please allow 7-10 days for completion of requested forms/letters. There will be a **\$25 charge for the completion of short forms** and letters and a **\$45 charge for more extensive forms/letters**.

### Right to terminate:

\_\_\_\_\_ OHHW reserves the right to terminate services due to failure to comply with policies and procedures. OHHW reserves the right to terminate services due to inappropriate and/or threatening behaviors and/or comments made to clinicians and/or staff.

### OHHW Pricing:

\_\_\_\_\_ I have reviewed and understand OHHW's price policy and further understand that **payment is due upon receipt of services rendered**. I understand that I may request a copy of OHHW's price list at any time and it will gladly be provided to me.

Printed name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_



## Testosterone Pellet Insertion Consent Form

Bio-identical testosterone pellets are concentrated, compounded hormone, biologically identical to the testosterone that is made in your own body. Testosterone was made in your testicles prior to "andropause." Bio-identical hormones have the same effects on your body as your own testosterone did when you were younger. Hormone pellets are made from soy and hormone replacement. Pellets have been used in Europe, the US and Canada since the 1930's. Your risks are similar to those of any testosterone replacement but may be lower risk than alternative forms. During andropause, the risk of not receiving adequate hormone therapy can outweigh the risks of replacing testosterone with pellets.

### Risks of not receiving testosterone therapy after andropause include but are not limited to:

Arteriosclerosis, elevation of cholesterol, obesity, loss of strength and stamina, generalized aging, osteoporosis, mood disorders, depression, arthritis, loss of libido, erectile dysfunction, loss of skin tone, diabetes, increased overall inflammatory processes, dementia and Alzheimer's disease, and many other symptoms of aging.

**CONSENT FOR TREATMENT:** I consent to the insertion of testosterone pellets in my hip. I have been informed that I may experience any of the complications to this procedure as described below. **Surgical risks are the same as for any minor medical procedure and are included in the list of overall risks below:**

Bleeding, bruising, swelling, infection and pain. Lack of effect (typically from lack of absorption). Thinning hair, male pattern baldness. Increased growth of prostate and prostate tumors. Extrusion of pellets. Hyper sexuality (overactive Libido). Ten to fifteen percent shrinkage in testicle size. There can also be a significant reduction in sperm production.

There is some risk, even with natural testosterone therapy, of enhancing an existing current prostate cancer to grow more rapidly. For this reason, a rectal exam and prostate specific antigen blood test is to be done before starting testosterone pellet therapy and will be conducted each year thereafter. If there is any question about possible prostate cancer, a follow-up with an ultrasound of the prostate gland may be required as well as a referral to a qualified specialist. While urinary symptoms typically improve with testosterone, rarely they may worsen, or worsen before improving. Testosterone therapy may increase one's hemoglobin and hematocrit, or thicken one's blood. This problem can be diagnosed with a blood test. Thus, a complete blood count (Hemoglobin & Hematocrit.) should be done at least annually. This condition can be reversed simply by donating blood periodically.

### BENEFITS OF TESTOSTERONE PELLETS INCLUDE:

Increased libido, energy, and sense of well-being. Increased Muscle mass and strength and stamina. Decreased frequency and severity of migraine headaches. Decrease in mood swings, anxiety and irritability (secondary to hormonal decline). Decreased weight (Increase in lean body mass). Decrease in risk or severity of diabetes. Decreased risk of heart disease. Decreased risk of Alzheimer's and Dementia

I have read and understand the above. I have been encouraged and have had the opportunity to ask any questions regarding pellet therapy. All of my questions have been answered to my satisfaction. I further acknowledge that there may be risks of testosterone therapy that we do not yet know, at this time, and that the risks and benefits of this treatment have been explained to me and I have been informed that I may experience complications, including one or more of those listed above. I accept these risks and benefits and I consent to the insertion of hormone pellets under my skin. This consent is ongoing for this and all future pellet insertions.

I understand that payment is due in full at the time of service. I also understand that it is my responsibility to submit a claim to my insurance company for possible reimbursement. I have been advised that most insurance companies do not consider pellet therapy to be a covered benefit and my insurance company may not reimburse me, depending on my coverage. I acknowledge that my provider has no contracts with any insurance company and is not contractually obligated to pre-certify treatment with my insurance company or answer letters of appeal.

\_\_\_\_\_  
Patient Signature

\_\_\_\_\_  
Today's Date



**Post-Insertion Instructions for Men**

- Your insertion site has been covered with two layers of bandages. Remove the outer pressure bandage any time after 24 hours. You may replace it with a bandage to catch any anesthetic that may ooze out. The inner layer is either waterproof foam tape or steri-strips they should not be removed before 7 days.
- We recommend putting an ice pack on the insertion area a couple of times for about 20 minutes each time over the next 4 to 5 hours.
- Do not take tub baths or get into a hot tub or swimming pool for 3 days. You may shower but do not scrub the site until the incision is well healed (about 7 days).
- No major exercises for the incision area for the next 7 days, this includes running, riding a horse, etc.
- The sodium bicarbonate in the anesthetic may cause the site to swell for 1-3 days. Don't worry.....this is normal.
- The insertion site may be uncomfortable for up to 2 to 3 weeks. If there is itching or redness you may take Benadryl for relief, 50 mg. orally every 6 hours. Caution this can cause drowsiness!
- You may experience bruising, swelling, and/or redness of the insertion site which may last from a few days up to 2 to 3 weeks.
- You may notice some pinkish or bloody discoloration of the outer bandage. This is normal.
- If you experience bleeding from the incision, apply firm pressure for 5 minutes.
- Please call if you have any bleeding (not oozing) or pus coming out of the insertion site that is not relieved by pressure.
- Remember to go for your post-insertion blood work 4 weeks after the insertion.
- Most men will need re-insertions of their pellets 5-6 months after their initial insertion.
- Please call as soon as symptoms that were relieved from the pellets start to return to make an appointment for a re-insertion. Or you may make your next appointment before you leave today. The charge for the second visit will be only for the insertion and not a consultation unless you would like to discuss treatment and additional hormonal health matters.

**Reminders:**

**Please have your labs rechecked:**

( ) 4-6 weeks after your insertion

( ) every 6 months

( ) every 12 months

**Prescriptions:**

- |                       |             |
|-----------------------|-------------|
| ( ) DIM _____         | Every _____ |
| ( ) Femara _____      | Every _____ |
| ( ) Vitamin ADK _____ | Every _____ |
| ( ) Iodine _____      | Every _____ |
| ( ) Thyroid _____     | Every _____ |
| ( ) Other _____       | Every _____ |
| ( ) Other _____       | Every _____ |
| ( ) Other _____       | Every _____ |

\_\_\_\_\_  
Patient Signature

\_\_\_\_\_  
Today's Date



## WHAT MIGHT OCCUR AFTER A PELLETT INSERTION

A significant hormonal transition will occur in the first four weeks after the insertion of your hormone pellets. Therefore, certain changes might develop that can be bothersome.

- **FLUID RETENTION:** Testosterone stimulates the muscle to grow and retain water which may result in a weight change of two to five pounds. This is only temporary. This happens frequently with the first insertion, and especially during hot, humid weather conditions.
- **SWELLING of the HANDS & FEET:** This is common in hot and humid weather. It may be treated by drinking lots of water, reducing your salt intake, taking cider vinegar capsules daily, (found at most health and food stores) or by taking a mild diuretic, which the office can prescribe.
- **MOOD SWINGS/IRRITABILITY:** These may occur if you were quite deficient in hormones. They will disappear when enough hormones are in your system.
- **FACIAL BREAKOUT:** Some pimples may arise if the body is very deficient in testosterone. This lasts a short period of time and can be handled with a good face cleansing routine, astringents and toner. If these solutions do not help, please call the office for suggestions and possibly prescriptions.
- **HAIR LOSS:** Is rare and usually occurs in patients who convert testosterone to DHT. Dosage adjustment generally reduces or eliminates the problem. Prescription medications may be necessary in rare cases.
- **HAIR GROWTH:** Testosterone may stimulate some growth of hair on your chin, chest, nipples and/or lower abdomen. This tends to be hereditary. Dosage adjustment generally reduces or eliminates the problem.

---

Patient Signature

---

Today's Date